

[NCBI](#)[Entrez](#)[BLAST 2 sequences](#)[BLAST](#)[Example](#)[Help](#)

## BLAST 2 SEQUENCES

This tool produces the alignment of two given sequences using BLAST engine for local alignment. Currently only blastn and blastp programs are available. Using sequences > 150 Kb is not recommended.

**Reference:** Tatiana A. Tatusova, Thomas L. Madden (1999), "Blast 2 sequences - a new tool for comparing protein and nucleotide sequences", FEMS Microbiol Lett. 174:247-250

Program  Matrix

Parameters used in BLASTN program only:

Reward for a match:  .. Penalty for a mismatch:

Open gap  and extension gap  penalties

gap x\_dropoff  expect  word size  Filter ☐

Sequence 1 Enter accession or GI

*Light Chain CDR1*

or sequence in FASTA format from:  to:

KTSQDINKYMA

*Marine 21.6*

Sequence 2 Enter accession or GI

or sequence in FASTA format from:  to:

RSSQSLAKSYGNTYLS


*residues 44-59 of  
SEQ ID NO:12*

Align

Clear Input

Comments and suggestions to: [blast-help@ncbi.nlm.nih.gov](mailto:blast-help@ncbi.nlm.nih.gov)

Credits to: [Tatiana Tatusov](#) and [Tom Madden](#)



[NCBI](#)[Entrez](#)[BLAST 2 sequences](#)[BLAST](#)[Help](#)**BLAST 2 SEQUENCES RESULTS VERSION BLASTP 2.0.9 [May-07-1999]**

Matrix  gap open:  gap extension:   
x\_dropoff:  expect:  wordsize:  Filter ☐

---

Sequence 1 lc|seq\_1 Length 11

Sequence 2 lc|seq\_2 Length 16

**No significant similarity was found**

[NCBI](#)[Entrez](#)[BLAST 2 sequences](#)[BLAST](#)[Example](#)[Help](#)

## BLAST 2 SEQUENCES

This tool produces the alignment of two given sequences using [BLAST](#) engine for local alignment. Currently only blastn and blastp programs are available. Using sequences > 150 Kb is not recommended.

**Reference:** Tatiana A. Tatusova, Thomas L. Madden (1999), "Blast 2 sequences - a new tool for comparing protein and nucleotide sequences", FEMS Microbiol Lett. 174:247-250

Program  Matrix

Parameters used in BLASTN program only:

Reward for a match:  Penalty for a mismatch:

Open gap  and extension gap  penalties

gap x\_dropoff  expect  word size  Filter ☐

Sequence 1 Enter accession or GI   
or sequence in FASTA format from:  to:

Heavy Chain CDR3

EGYYGNYGVYAMDY

Murine 21.6

Sequence 2 Enter accession or GI   
or sequence in FASTA format from:  to:

GGYDGWDYAI DY

residues 118-129 of  
SEQ ID NO: 15

Comments and suggestions to: [blast-help@ncbi.nlm.nih.gov](mailto:blast-help@ncbi.nlm.nih.gov)

Credits to: [Tatiana Tatusov](#) and [Tom Madden](#)

EXHIBIT

F

1/10/2000

[NCBI](#)[Entrez](#)[BLAST 2 sequences](#)[BLAST](#)[Help](#)**BLAST 2 SEQUENCES RESULTS VERSION BLASTP 2.0.9 [May-07-1999]**

Matrix  gap open:  gap extension:   
x\_dropoff:  expect:  wordsize:  Filter ☐

---

Sequence 1 lcl|seq\_1 Length 14

Sequence 2 lcl|seq\_2 Length 12

No significant similarity was found

[NCBI](#)[Entrez](#)[BLAST 2 sequences](#)[BLAST](#)[Example](#)[Help](#)

## BLAST 2 SEQUENCES

This tool produces the alignment of two given sequences using [BLAST](#) engine for local alignment. Currently only blastn and blastp programs are available. Using sequences > 150 Kb is not recommended.

**Reference:** Tatiana A. Tatusova, Thomas L. Madden (1999), "Blast 2 sequences - a new tool for comparing protein and nucleotide sequences", FEMS Microbiol Lett. 174:247-250

Program  Matrix

Parameters used in [BLASTN](#) program only:

Reward for a match:  Penalty for a mismatch:

Open gap  and extension gap  penalties  
gap x\_dropoff  expect  word size  Filter ☐

Sequence 1 Enter accession or GI   
or sequence in FASTA format from:  to:

LQYDNLWT

*Light Chain CDR3*

*Murine 21.6*


Sequence 2 Enter accession or GI   
or sequence in FASTA format from:  to:

LQGTHQPYT

*Residues 114-122 of  
SEQ ID NO: 12*

Comments and suggestions to: [blast-help@ncbi.nlm.nih.gov](mailto:blast-help@ncbi.nlm.nih.gov)

Credits to: [Tatiana Tatusov](#) and [Tom Madden](#)



[NCBI](#)[Entrez](#)[BLAST 2 sequences](#)[BLAST](#)[Help](#)**BLAST 2 SEQUENCES RESULTS VERSION BLASTP 2.0.9 [May-07-1999]**

Matrix  gap open:  gap extension:   
x\_dropoff:  expect:  wordsize:  Filter ☐

---

Sequence 1 lcl|seq\_1 Length 8

Sequence 2 lcl|seq\_2 Length 9

No significant similarity was found